

STARK EIGHT I

EIGHT.
FIRST TO BUY.
SECOND TO NONE.



MINIMAL & ECOLOGICAL
SMART DESIGN.



- glass touch panel
- cactus leather
- walnut wood surface
- potato starch fiber lining
- colorful acoustic net
- energy efficient
- highly compatible
- longlasting electronics
- simple setup & easy control



TECHNICAL SPECIFICATION



Dimensions

Height: 390 mm

Width: 215 mm

Depth: 275 mm

Drivers

1" silk soft dome tweeter

5" natural fiber midwoofer

Weight

18kg pair wooden version,
concrete version 27kg pair-
without boxes and cables,
net product weight

System parameters

Frequency range

45 Hz - 20kHz, -3dB

Amplifier 2 x 125W Audiophile
Hypex n-Core - THD distortion
0.0015 / 1W

Inputs

Bluetooth

Wifi

2 x digital optical

1 x digital RCA

1 x stereo analog RCA

1 x USB max. 1A

1 x Starklink - communi-
cation port for controlling
other devices

High-End DAC Wolfson
WM8742 S / N ratio -123 dB

Sample Rate Converter -
digital interpolation and
upscaling 192kHz

Sigma Delta 56-Bit digital audio
processor with switchable
10-band equalizer



Network Connectivity

DLNA

Spotify

Tidal

Environment requirements

Maximum relative humidity 85%
non-condensing











Ambient temperature during op-
eration 0 - 50 ° C



EIGHT I

www.stark.audio

CUSTOMISATION OPTIONS

	Grill cloth	Leather	Lining	Wood	
	Copper	Anthracite	Copper	Walnut wood	
	Anthracite	Anthracite	Copper	Walnut wood	
	Anthracite	Anthracite	Grey	Walnut wood	
	Copper	Beige	Copper	Walnut wood	
	Anthracite	Beige	Copper	Walnut wood	

EIGHTI

www.stark.audio